

Tehnički list za artikl: BK0856052F

Okvir s vratima za 5-redni media-combi razdjelnik, 5xDIN šina

serija Gemini, metalni okvir s vratima BEZ UZIDNIH KADA koje se (ako su potrebne) naručuju odvojeno: 2x BK0850552A (uzdna kada za šuplji zid) ili 2x BK0850052A (uzdna kada za puni zid), lijeva strana: energetska dio, 5x DIN šina (60+10 modula), desna strana: media dio s 5x mrežasta montažna ploča, WLAN proofed, IP30, RAL9003 (signalno bijela)



SCHRACK-Info

- 5-row Media-Combi-Enclosure Frame and Doors **Horizontal**
- **BK0856052F** including 5x DIN-Rails (60+10TE) and 5x Mounting plates
- Following articles are required for assembly:
 - 1x Frame, Doors and Insert BK0856052F
 - 2x Wall Boxes 5-row BK0850552A for Hollow Wall or Bricks Wall BK0850052A
 - 1x Connection Bracket BK085098-B
- Frame and Doors in coated sheet Steel, right Door with ventilation slots, both doors with door clip
- Frame design high (approximativ 6mm)
- Mounting plates for active and passive devices included in delivery, WLAN proofed
- Glow wire test:
 - 650°C for Bricks Wall
 - 850°C for Hollow Wall
- Mounting Bracket:
 - for Bricks Wall (up to 30mm wall thickness)
 - for Hollow Walls: Dovetail mounting brackets for front or back panel mounting

- Protection class II
- Degree of Protection IP30
- RAL9003 signal white



Tehnički podaci

Neto širina (mm)	692,00
Neto visina (mm)	842,00
Neto dubina (mm)	36,00
Neto masa (kg)	7,50
EAN	9004840947724
Disipacija snage (W)	-105,00
Min. temperatura okoline (°C)	-25
Maks. temperatura okoline (°C)	60
Izvedba/tip	Ugradni sa vratima
Materijal vrata	Čelik
Broj redova	5
Modula u 1 redu	12
IP stupanj zaštite	IP30
Boja	RAL 9003 (signalno bijela)

Tablica artikla

OPIS	NVP (%)	MASA BAKRA (kg/km)	KAT. BROJ
Okrvir s vratima za 5-redni media-combi razdjelnik, 5xDIN šina serija Gemini, metalni okvir s vratima BEZ UZIDNIH KADA koje se (ako su potrebne) naručuju odvojeno: 2x BK0850552A (uzdna kada za šuplji zid) ili 2x BK0850052A (uzdna kada za puni zid), lijeva strana: energetski dio, 5x DIN šina (60+10 modula), desna strana: media dio s 5x mrežasta montažna ploča, WLAN proofed, IP30, RAL9003 (signalno bijela)			BK0856052F
Potrebni pribor			
Uzidna kada za 5-redni razdjelnik, montaža u šuplji zid 817x324x87mm (VxŠxD), 60+10 modula, za 5-redne BK085... razdjelnike, BK0857... media razdjelnike, BK0855... media combi razdjelnike (vertikalno), materijal kade: samogasivi ABS, ispitivanje na žarnu nit do 850°C			BK0850552A
Uzidna kada za 5-redni razdjelnik, montaža u puni zid 817x324x87mm (VxŠxD), za 5-redne BK085 uzidne razdjelnike, BK0857 media razdjelnike i BK0855 media combi-razdjelnike (vertikalno), materijal kade: ABS, ispitivanje na žarnu nit do 650°C			BK0850052A
Set za horizontalno povezivanje uzidnih razdjelnika BK085 za horizontalno povezivanje uzidnih razdjelnika BK085... istih dimenzija, za šuplji zid, pakiranje: 6 komada, materijal: ABS			BK085098-B
Dodatni pribor			
Dvostruka šuko utičnica s montažnim nosačem 16A, 250V AC za BK0857... Uzidne media razdjelnike, BK0855... media-combi razdjelnike (vertikalno) i BK0856... media-combi razdjelnike (horizontalno) i BK0807... nazidne media razdjelnike			BK085050
Nosač uređaja (npr. routera) za media razdjelnike BK08... BK0855... media-combi razdjelnike (vertikalno) i BK0856... media-combi razdjelnike (horizontalno), za BK0857... uzidne media razdjelnike, i BK0807... nazidne media razdjelnike			BK085094-A
DIN profil za montažu uređaja s većom ugradnom dubinom za uređaje s većom ugradnom dubinom (npr. odvodnike prenapona), za BK0857 media razdjelnike, BK0855 media combi-razdjelnike (vertikalno) i BK0856 media combi-razdjelnike (horizontalno)			BK085099
Metalna brava 2233X za razdjelnike BK085 i Media BK0807 brava se isporučuje u kompletu s jednim ključem			BK085097
Rezervni ključ za bravu BK085097-- (za razdjelnike BK085..) ključ za bravu 2233X (metalni), za razdjelnike BK085			BK085093
Rezervni dijelovi za BK085 seriju ormara (za okvire i vrata) set sadrži: 1x bravica vrata, 2x šarke vrata, 1x set za fiksiranje okvira u 6 točaka, 2x vijci prednjeg pokrova za uređaje			BK085090
Rezervni dijelovi za BK085 seriju ormara (za okvire i vrata) sadrži: 4x sidrište za montažu u šuplji zid, 4x kutnik za montažu u puni zid			BK085091

Adapter za DIN profil, prazan, za 1 modul (SFA)(SFB)

Stranica 3 od 4

Kreirano online 2024-08-14, Ne preuzimamo odgovornost za pogreške. Sve informacije podložne promjeni.

HSEH010GS

TOOLLESS LINE modul RJ45 oklop., cat
www.schrack.hr

S/FTP inst. kabel cat.7,4x2xAWG27

Get Ready. **Get Schrack.**

