

Tehnički list za artikl: BK085745--

Uzidni media razdjelnik 5-redni, 1xDIN šina + 4 mont. ploče

serija Amparo, 842x346x94mm (VxŠxD), za ugradnju u šuplji zid (Knauf), 1 x DIN šina (12+2 modula) + 4 perforirane montažne ploče, RAL9003 (signalno bijela), komplet sa uzidnom kadom, IP30



SCHRACK-Info


- 5-row media enclosure for partition wall
- Frame and door in coated sheet steel, media distributor door with ventilation slots and door clip; Wall box made of ABS, halogen free
- 4-point frame fixing for plaster compensation (optionally 6-point frame fixing is possible)
- With a DIN-rail (14 module widths) on top of each enclosure for insertion of patch modules
- Mounting plates for active and passive components included
- Device holder (BK085094), double socket 16A (BK085050) and wall box brackets horizontal (BK085098-A) as well as vertical (BK085095) can be obtained as accessory
- Glow wire test: Resistant to abnormal heat and fire up to 850 °C for partition wall
- Mounting brackets for partition wall up to 30 mm wall thickness
- Delivery includes: Frame with door, wall box, 1 x DIN-rail, 4x mounting plates, plaster cover, mounting equipment for partition wall mounting and mounting instruction
- Protection class: II
- Degree of protection: IP30
- Color: RAL9003 (Signal white)



Tehnički podaci

Neto širina (mm)	346,00
Neto visina (mm)	842,00
Neto dubina (mm)	94,00
Neto masa (kg)	4,00
EAN	9004840881011
Disipacija snage (W)	-61,00
Min. temperatura okoline (°C)	-25
Maks. temperatura okoline (°C)	60
Izvedba/tip	Uzidni, za šuplje stijene, s vratima
Materijal vrata	Čelik
Broj redova	5
IP stupanj zaštite	IP30
Boja	RAL 9003 (signalno bijela)

Dimensions



Tablica artikla

OPIS	NVP (%)	MASA BAKRA (kg/km)	KAT. BROJ
Uzidni media razdjelnik 5-redni, 1xDIN šina + 4 mont. ploče serija Amparo, 842x346x94mm (VxŠxD), za ugradnju u šuplji zid (Knauf), 1x DIN šina (12+2 modula) + 4 perforirane montažne ploče, RAL9003 (signalno bijela), komplet sa uzidnom kadom, IP30			BK085745
Dodatni pribor			
Dvostruka šuko utičnica s montažnim nosačem 16A, 250V AC za BK0857... Uzidne media razdjelnike, BK0855... media-combi razdjelnike (vertikalno) i BK0856... media-combi razdjelnike (horizontalno) i BK0807... nazidne media razdjelnike			BK085050
Nosač uređaja (npr. routera) za media razdjelnike BK08... BK0855... media-combi razdjelnike (vertikalno) i BK0856... media-combi razdjelnike (horizontalno), za BK0857... uzidne media razdjelnike, i BK0807... nazidne media razdjelnike			BK085094-A
Set za horizontalno povezivanje uzidnih razdjelnika BK085 za horizontalno povezivanje uzidnih razdjelnika BK085... istih dimenzija, za šuplji zid, pakiranje: 2 komada, materijal: ABS			BK085098-A
Set za vertikalno povezivanje svih BK085... razdjelnika set=2 komada, za vertikalno povezivanje uzidnih kada serije BK085, materijal: ABS			BK085095
Metalna brava 2233X za razdjelnike BK085 i Media BK0807 brava se isporučuje u kompletu s jednim ključem			BK085097
Rezervni dijelovi za BK085 seriju ormara (za okvire i vrata) set sadrži: 1x bravica vrata, 2x šarke vrata, 1x set za fiksiranje okvira u 6 točaka, 2x vijci prednjeg pokrova za uređaje			BK085090
Rezervni dijelovi za BK085 seriju ormara (za okvire i vrata) sadrži: 4x sidrište za montažu u šuplji zid, 4x kutnik za montažu u puni zid			BK085091
DIN profil za montažu uređaja s većom ugradnom dubinom za uređaje s većom ugradnom dubinom (npr. odvodnike prenapona), za BK0857 media razdjelnike, BK0855 media combi-razdjelnike (vertikalno) i BK0856 media combi-razdjelnike (horizontalno)			BK085099
Adapter za DIN profil, prazan, za 1 modul (SFA)(SFB) Lightgrey			HSERH010GS
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFA (SFA)			HSEMRJ6GWA
S/FTP inst. kabel cat.7,4x2xAWG23/1,1000MHz,LSOH,Dca,40%,pl. za rezanje	78	28	HSEKP423HB