

Tehnički list za artikl: BZ326456DC

Instalacijski sklopnik 32A | 2 N/O + 2 N/C | 24V AC/DC, 2 ŠM

Tip Installation contactor, Veličina 2TE, Nazivna struja 32A, širine 2 modula




Tehnički podaci


Neto širina (mm)	52,50
Neto visina (mm)	87,50
Min. temperatura okoline (°C)	-25
Maks. temperatura okoline (°C)	70

Sheme: Instalacijski sklopnik 32A | 2 N/O + 2 N/C | 24V AC/DC, 2 ŠM


BZ326445DC




BZ326455DC




BZ326456DC





BZ326476DC



Mjerne skice: Instalacijski sklopnik 32A | 2 N/O + 2 N/C | 24V AC/DC, 2 ŠM



Mjerne skice: Instalacijski sklopnik 32A | 2 N/O + 2 N/C | 24V AC/DC, 2 ŠM**Mjerne skice: Instalacijski sklopnik 32A | 2 N/O + 2 N/C | 24V AC/DC, 2 ŠM**

Tablica artikla

OPIS	KAT. BROJ
Instalacijski sklopnik 32A 2 N/O + 2 N/C 24V AC/DC, 2 ŠM Tip Installation contactor, Veličina 2TE, Nazivna struja 32A, širine 2 modula	BZ326456DC
Dodatni pribor	
Pomoćni kontakt za instalacijski sklopnik, 1 N/O+1 N/C, 6A Pribor Pomoćni kontakti, pomoćni kontakt zauzima širinu 1/2 modula	BZ326476DC