

Tehnički list za artikl: EV210021--

1-polno tipkalo, 10A, na oprugu, nazidno, VISIO IP54

s orijentacijskim svjetlom, radni kontakt



SCHRACK info

Robust surface-mounted pushbutton made of durable and weather-resistant, glass-fibre-reinforced thermoplastic with an orientation light that illuminates permanently. The switch is IP54 splash-proof and also provides additional protection against dust. Furthermore, it is resistant to chemicals and elevated temperatures and at the same time has a high impact strength (IK05). Inside the switch there is already a connected quick connection terminal for the earthing connection, which allows an even easier connection. Up to three cables can be routed through the sealing diaphragm both above and below the switch.




Tehnički podaci

Neto duljina (mm)	83,00
Neto širina (mm)	74,00
Neto visina (mm)	56,00
Neto masa (kg)	0,11
Serijski naziv	VISIO IP54
Tip proizvoda	Switch
Radni napon AC (V)	230
Struja sklapanja (AX)	10

Tehnički podaci - nastavak

Način ugradnje	Nazidno
Način pričvršćenja	Vijak
IP stupanj zaštite	IP54
Boja	siva
Tip priključka	Utična stezaljka
Priključni vodič	Kruti
Presjek priključnog vodiča (mm ²)	1,5 und 2,5
Materijal	ABS Bakar
Zaštita okoliša	Halogen free
Održivost	ROHS
Ispitna oznaka	VDE
Dimenzije (mm)	83x74x56

Abmessungen (mm)



Tablica artikla

OPIS	KAT. BROJ
1-polno tipkalo, 10A, na oprugu, nazidno, VISIO IP54 s orijentacijskim svjetlom, radni kontakt	EV210021
Dodatni pribor	
Adapter za vertikalno proširenje VISIO IP54 sklopki/utičnica	EV217002
.	