

Tehnički list za artikl: H6GSA00K5A

LED prespojni kabel RJ45 oklopljen, 500 MHz, Ea, 10GB, aqua, 0.5m



SCHRACK-Info

Patchcords for generic, structured network cabling systems. Support all applications requiring Class D to Class E_A (e.g. 10GBase-T, 1000Base-T, 100Base-TX, ATM) as well as VoIP, PoE+. On the RJ45 connector of the LED patchcord, there are two contacts for the Patchfinder tool. By connecting the Patchfinder to the contacts, the boots at both ends of the LED patchcord start to light. Thus the patching is easily identified. During Light-functionality, Data-transmission remains stable and is not affected. Pin assignment 1:1.

S/FTP **Cat. 6_A** **LSOH** **4PPoE**


Tehnički podaci

Kategorija	Cat. 6 _A
Sastav kabela	4x2xAWG26/7
Kabelski oklop	S/FTP
Materijal vodiča	Stranded wire AWG 26/7 (0,457mm)
Konekcija	1:1
Brzina prijenosa	10Gbit
Broj parica	4 + 1
Oklop	Oklopljen
Vanjski omotač kabela	LSOH

Tehnički podaci - nastavak

LED funkcija	sa LED
Mogućnost identifikacije	Colorclips
Neto masa (kg)	0,03
Boja	aqua
Min. temperatura okoline (°C)	-10
Maks. temperatura okoline (°C)	50
Radna temperatura (°C)	-25 do +60
Temperaturno područje - Instalacija (°C)	+0 to +50
Radijus savijanja kabla - statički (Ø)	3
Radijus savijanja kabla - dinamički (Ø)	6
Impedancija (Ohm)	100 ± 15%
Otpor izolacije (MΩ*km)	> 5000MΩ/km
Kašnjenje uklopa (ns/m)	> 10 MHz: 4,3
RoHS	conform
Impedancija petlje (Ω/km)	330
4PPoE	Da
Duljina prespojnog kabla (m)	0,5

Mjerne skice: LED prespojni kabel RJ45 oklopljen, 500 MHz, Ea, 10GB, aqua, 0.5m



Tablica artikla

OPIS	NVP (%)	MASA BAKRA (kg/km)	KAT. BROJ
LED prespojni kabel RJ45 oklopljen, 500 MHz, Ea, 10GB, aqua, 0.5m			H6GSA00K5A
Dodatni pribor			
LED Detector Pro za LED prespojne kabele s ugrađenom punjivom baterijom i USB kabelom			HLEDTOOL1
Patchfinder izvor napajanja za LED prespojne kabele			HLEDTOOL
Kopča, plava, za LED prespojne kabele, 100 kom.			HLEDCLIPB
Kopča, crvena, za LED prespojne kabele, 100 kom.			HLEDCLIPR

Tablica artikla

OPIS	NVP (%)	MASA BAKRA (kg/km)	KAT. BROJ
Dodatni pribor			
Kopča, zelena, za LED prespojne kabele, 100 kom.			HLEDCLIPU
Kopča, žuta, za LED prespojne kabele, 100 kom.			HLEDCLIPY
S-JACK modul RJ45 oklopljen, Cat.6a 10GB, 4PPoE 100W SFB 24 kom. u kutiji			HSEMRJ6GS2
S-JACK modul RJ45 oklop., Cat.6a 10GB, 4PPoE 100W SFB .			HSEMRJ6GS1
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFB (SFB)			HSEMRJ6GBA
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFA (SFA)			HSEMRJ6GWA
S/FTP kabel cat.7a, 4x2xAWG22/1, 1500MHz, LS0H-3, Dca, plavi za rezanje	79	34	HSEKP422HP
S/FTP inst. kabel cat.7a, 4x2xAWG23/1, 1200MHz, LS0H-3, Dca, pl. plavi, za rezanje	80	30	HSEKP422HK
S/FTP kabel cat.7, 4x2xAWG23/1; 1.000MHz, LS0H; Dca, 30%, plavi bubanj 500m	77	25	HSKP423PP5
F/FTP inst. kabel cat.6a, 4x2xAWG23/1, 500MHz, LS0H-3, Dca, plavi za rezanje	79	20	HSEKP423HA