

Tehnički list za artikl: H6GYG00K5B

SLIM okrugli presp. kabel U/FTP cat.6a, AWG32, LS0H, sivi, 0.5m

4PPoE 100W



SCHRACK-Info

Patchcords for generic, structured network cabling systems.

Support all applications requiring Class D to Class E_A (e.g. 100Base-TX, ATM) as well as 10GBase-T, 1000Base-T and VoIP, 4PPoE.

Grey Patchcord with moulded boot in the color blue.

- Short booth particularly suitable for IP cameras, IP telephones, etc.
- Thin cable diameter: just $3,9 \pm 0,2$ mm
- Pin assignment: 1:1
- Wire: AWG32/7
- 4PPoE 100W capable up to 9m
- Environmental friendly packaging with paper loop saves 80% plastics


Tehnički podaci

Neto širina (mm)	230,00
Neto visina (mm)	170,00
Brzina prijenosa	10Gbit
Kategorija	Cat.6 _A

Tehnički podaci - nastavak

Sastav kabela	4x2xAWG32/7
Kabelski oklop	U/FTP
Konekcija	1:1
Broj parica	4
Oklop	Oklopljen
Vanjski omotač kabela	LS0H
LED funkcija	bez LED
Boja	siva
Standard priključnog konektora	EN 60603-7
Popunjenost	EIA/TIA 568B 1:1
Duljina prespojnog kabela (m)	0,5

Mjerne skice: SLIM okrugli presp. kabel U/FTP cat.6a, AWG32, LS0H, sivi, 0.5m



Tablica artikla

OPIS	NVP (%)	MASA BAKRA (kg/km)	KAT. BROJ
SLIM okrugli presp. kabel U/FTP cat.6a, AWG32, LS0H, sivi, 0.5m 4PPoE 100W			H6GYG00K5B
Dodatni pribor			
S-JACK modul RJ45 oklopljen, Cat.6a 10GB, 4PPoE 100W SFB 24 kom. u kutiji			HSEMRJ6GS2

Tablica artikla

OPIS	NVP (%)	MASA BAKRA (kg/km)	KAT. BROJ
Dodatni pribor			
S-JACK modul RJ45 oklop., Cat.6a 10GB, 4PPoE 100W SFB			HSEMRJ6GS1
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFB (SFB)			HSEMRJ6GBA
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFA (SFA)			HSEMRJ6GWA
U/FTP kabel cat.6a, 4x2xAWG23/1, 500MHz, LS0H-3, B2ca-s1a, d1, a1 plavi, za rezanje	79	20	HSEKF423CB
F/FTP inst. kabel cat.6a, 4x2xAWG23/1, 500MHz, LS0H-3, Dca, plavi za rezanje	79	20	HSEKP423HA
S/FTP inst. kabel cat.7, 4x2xAWG23/1, 1000MHz, LS0H-3, Cca, 50% s1a, d1, a1, plavi, za rezanje	79	28	HSEKP423CB
			HSEKF823HA
S/FTP inst. kabel cat.7, 2x(4x2xAWG23/1), 1000MHz, LS3, Cca, 50% s1a-d1-a1, plavi, za rezanje	79	56	HSEKP823CB