

Tehnički list za artikl: HSED12AW3S

Kućište n/ž za 12 modula (SFA)(SFB), Š172xV38xD122, RAL9010

čisto bijela







SCHRACK info

The wallmount data-outlet HSED12AW3S is suitable for installation of all SCHRACK modules in Schrack Format A (SFA). Included in delivery are cable-ties and screws for fixing to the wall. SFB-, Coax- and FO-Module cannot be installed in this outlet. Without dust-cover. Separation: 6 ports each left and right. Modular construction: One cover with 6 empty ports can be replaced by an additionally included 6x cable-entry cover.



Tehnički podaci

Neto širina (mm)	172,00
Neto visina (mm)	38,00
SCHRACK Format	SFA
Način montaže	Nazidna
Portovi	12
Boja	RAL 9010 (čista bijela)
IP stupanj zaštite	IP20

Mjerne skice: Kućište n/ž za 12 modula (SFA)(SFB), Š172xV38xD122, RAL9010

Tablica artikla

OPIS	KAT. BROJ
Kućiste n/ž za 12 modula (SFA)(SFB), Š172xV38xD122, RAL9010 čisto bijela	HSED12AW3S
Dodatni pribor	
TOOLLESS LINE modul RJ45 oklop., cat.6a 10GB, 4PPoE 100W SFA (SFA)	HSEMRJ6GWA
TOOLLESS LINE modul RJ45 oklop., kl. Ea 10GB, 4PPoE 100W SFA .	HSEMRJ6GWT
TOOLLESS LINE utični modul RJ45 cat.6, oklopljen (SFA) .	HSEMRJ6GWS
TOOLLESS LINE utični modul RJ45 cat.5e, oklopljen (SFA) .	HSEMRJ5GWS
TOOLLESS LINE utični modul RJ45 cat.6, neoklopljen (SFA) .	HSEMRJ6UWS
TOOLLESS LINE utični modul RJ45 cat.5e, neoklopljen (SFA) .	HSEMRJ5UWS