

Tehnički list za artikl: IG131313G-

Poliester kućište 135x135x129mm, IP66, RAL 7035 (sivo)



SCHRACK-Info

- Installation enclosure made of impact-resistant polyamide and GRP polyester (glass-fibre reinforced)
- Cover grey or transparent made of polycarbonate, cover screws made of polyamide
- Seal Polyurethane, fully insulated, halogen-free
- Protection class (EN 60529): IP66
- Impact resistance (EN 62262): IK09
- Self-extinguishing: Glow wire test 960°C
- RAL7035 Light grey
- Accessories: Bakelite or polyester mounting plates, intermediate frame (+62.5mm)



Tehnički podaci

Neto širina (mm)	135,00
Neto visina (mm)	135,00
Neto dubina (mm)	129,00
Neto masa (kg)	0,32

Tehnički podaci - nastavak

IP stupanj zaštite	IP66
Materijal	GFK polikarbonat
Boja	RAL 7030
Širina (mm)	135
Visina (mm)	129

Tablica artikla

OPIS	KAT. BROJ
Poliester kućište 135x135x129mm, IP66, RAL 7035 (sivo)	IG131313G
Dodatni pribor	
Montažna ploča, bakelitna, za IG1313.. 98,5x98,5x3mm	IG1313MB