


Tehnički list za artikl: IP3057665-

# Redna stezaljka (vijak) 0.5-4mm<sup>2</sup>, tip TB 2.5 I BU, plava

Priključak: vijčani, prihvati: 0.5mm<sup>2</sup> - 4mm<sup>2</sup>, AWG: 20 - 12, širina: 5.2mm, boja: plava

## Tehnički podaci

|                                                             |                    |
|-------------------------------------------------------------|--------------------|
| Neto dubina (mm)                                            | 42,00              |
| Neto širina (mm)                                            | 5,20               |
| Neto visina (mm)                                            | 42,50              |
| Neto masa (kg)                                              | 0,01               |
| EAN                                                         | 4046356648226      |
| Disipacija snage (W)                                        | 0,77               |
| Min. temperatura okoline (°C)                               | -40                |
| Maks. temperatura okoline (°C)                              | 120                |
| Osnovna oznaka                                              | Stezaljka          |
| Sistem                                                      | Vijčane stezaljke  |
| Serijski broj                                               | TB                 |
| Izvedba/tip                                                 | Prolazne stezaljke |
| Maks. prihvati (kruti vodič) (mm <sup>2</sup> )             | 4                  |
| Maks. prihvati (fleksibilni vodič) (mm <sup>2</sup> )       | 2,5                |
| Maks. presjek, savitljiva žica s ferulom (mm <sup>2</sup> ) | 2,5                |
| Min. prihvati (kruti vodič) (mm <sup>2</sup> )              | 0,5                |
| Min. prihvati (fleksibilni vodič) (mm <sup>2</sup> )        | 0,5                |

## Tehnički podaci - nastavak

|                                                               |       |
|---------------------------------------------------------------|-------|
| Min. poprečni presjek fleksibilni s kablskim završetkom (mm²) | 0,5   |
| Presjek (mm²)                                                 | 2,5   |
| Boja                                                          | plava |
| Nazivna struja (A)                                            | 24    |

## Tablica artikla

| OPIS                                                                                                                                   | KAT. BROJ |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Redna stezaljka (vijak) 0.5-4mm², tip TB 2.5 I BU, plava                                                                               | IP3057665 |
| Priključak: vijčani, prihvat: 0.5mm² - 4mm², AWG: 20 - 12, širina: 5.2mm, boja: plava                                                  |           |
| <b>Dodatni pribor</b>                                                                                                                  |           |
| Krajnji držač CLIPFIX 15, za montažu na DIN-šinu NS 15<br>sivi                                                                         | IP3022263 |
| Krajnji držač CLIPFIX 35-5, montaža na NS 35/7,5 ili NS 35/15<br>s mogućnošću označavanja, širina: 5, 15 mm, sivi                      | IP3022276 |
| Krajnji držač CLIPFIX 35, montaža na NS 35/7,5 ili NS 35/15<br>s mogućnošću označavanja, širina: 9,5 mm, sivi                          | IP3022218 |
| Koncový držák E/UK<br>End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray                                          | IP1201442 |
| Koncový držák E/UK 1<br>End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray | IP1201413 |
| Krajnji držač E/MBK<br>End clamp, width: 6.2 mm, color: gray                                                                           | IP1401637 |
| Krajnji držač E/MK 1<br>End clamp width: 6 mm, color: gray                                                                             | IP1421659 |
| Krajnji držač E/NS 35 N<br>Širina: 9,5 mm, Boja: siva                                                                                  | IP0800886 |
| Označna pločica za Phoenix Contact TB I ST , 1-30 (2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST               | IP196001  |
| Označna pločica za Phoenix Contact TB I ST, 31-60 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST              | IP196031  |
| Označna pločica za Phoenix Contact TB I ST, 61-90 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST              | IP196061  |
| Označna pločica za Phoenix Contact TB I ST, 91-120 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST             | IP196091  |

## Tablica artikla

| OPIS                                                                                                                                                                 | KAT. BROJ  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Dodatni pribor</b>                                                                                                                                                |            |
| Označna pločica za Phoenix Contact TB I ST, 121-150 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196121   |
| Označna pločica za Phoenix Contact TB I ST, 151-180 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196151   |
| Označna pločica za Phoenix Contact TB I ST, 181-210 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196181   |
| Označna pločica za Phoenix Contact TB I ST, 211-240 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196211   |
| Označna pločica za Phoenix Contact TB I ST, 241-270 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196241   |
| Označna pločica za Phoenix Contact TB I ST, 271-300 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196271   |
| Označna pločica za Phoenix Contact TB I ST, 301-330 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196301   |
| Označna pločica za Phoenix Contact TB I ST, 331-360 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196331   |
| Označna pločica za Phoenix Contact TB I ST, 361-390 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196361   |
| Označna pločica za Phoenix Contact TB I ST, 391-420 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196391   |
| Označna pločica za Phoenix Contact TB I ST, 421-450 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196421   |
| Označna pločica za Phoenix Contact TB I ST, 451-480 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196451   |
| Označna pločica za Phoenix Contact TB I ST, 481-510 ( 2x)<br>Marking tags for Phoenix Contact - terminals, series TB and ST                                          | IP196481   |
| Horizontalne oznake (1-10) za redne stezaljke širine 5.2mm<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm  | IP10500171 |
| Horizontalne oznake (11-20) za redne stezaljke širine 5.2mm<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm | IP10500172 |
| Horizontalne oznake (21-30) za redne stezaljke širine 5.2mm<br>Traka sa lomljivim oznakama, bijela, za redne stezaljke širine: 5.15mm, natpisno polje: 5.15 x 10.5mm | IP10500173 |
| Označna traka ZB 5, brojevi 31-40<br>Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm                        | IP10500174 |
| Označna traka ZB 5, brojevi 41-50<br>Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm                        | IP10500175 |
| Označna traka ZB 5, brojevi 51-60<br>Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm                        | IP10500176 |

## Tablica artikla

| OPIS                                                                                                                                           | KAT. BROJ  |
|------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Dodatni pribor</b>                                                                                                                          |            |
| Označna traka ZB 5, brojevi 61-70<br>Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm  | IP10500177 |
| Označna traka ZB 5, brojevi 71-80<br>Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm  | IP10500178 |
| Označna traka ZB 5, brojevi 81-90<br>Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm  | IP10500179 |
| Označna traka ZB 5, brojevi 91-100<br>Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm | IP1050017H |
| Ozn. traka ravna ZBF 5, brojevi 1-10<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm      | IP08086711 |
| Ozn. traka ravna ZBF 5, brojevi 11-20<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086712 |
| Ozn. traka ravna ZBF 5, brojevi 21-30<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086713 |
| Ozn. traka ravna ZBF 5, brojevi 31-40<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086714 |
| Ozn. traka ravna ZBF 5, brojevi 41-50<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086715 |
| Ozn. traka ravna ZBF 5, brojevi 51-60<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086716 |
| Ozn. traka ravna ZBF 5, brojevi 61-70<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086717 |
| Ozn. traka ravna ZBF 5, brojevi 71-80<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086718 |
| Ozn. traka ravna ZBF 5, brojevi 81-90<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm     | IP08086719 |
| Ozn. traka ravna ZBF 5, brojevi 91-100<br>Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm    | IP0808671H |
| Završna pločica za redne stezaljke TB 2.5, siva<br>Duljina: 42.5mm, širina: 1.5mm, visina: 30.7mm, boja: tamno siva                            | IP3059919  |
| Kratkospojnik (vijčani) za 10 stezaljki, SCBI 10-5 N<br>Fiksni most za 10 stezaljki                                                            | IP3246117  |
| Mostić za umetanje INB 10-5<br>Insert bridge, poles: 10, color: grey                                                                           | IP3246175  |
| Izolacijska pločica TS-TB-2L<br>Insulation plate, length: 16 mm, wide: 0.5 mm, hight: 14 mm, color: dark grey                                  | IP3062841  |
| Odjelna pločica ATP-TB<br>Partition plate, length: 56 mm, wide: 3 mm, hight: 45.7 mm, color: dark grey                                         | IP3046272  |

## Tablica artikla

| OPIS                               | KAT. BROJ |
|------------------------------------|-----------|
| <b>Dodatni pribor</b>              |           |
| Ispitna utičnica TPS 3/10/4        | IP3246230 |
| Test socket, color: silver-colored | IP1212602 |