

Tehnički list za artikl: IU008530--

Svjetiljka za ormar, 11W, 230V AC, magnetsko učvršćenje

sa šuko utičnicom, ON/OFF sklopka, štedna žarulja (grlo 2G7), 900lm, 10.000h



SCHRACK info

- Slim design
- Excellent for cabinets and enclosures with high component density
- Magnetic fastening
- Can be mounted freely in any desired position in metal enclosures
- Electrical socket
- On/Off switch
- Includes energy saver bulb 11W (2G7)
- Long service life (10.000h)
- Also available:

IU008518: With screw fastening and socket

IU008531: With magnetic fastening and socket type E (for France, Belgium, Poland, Czech Republic and Slovakia)




Tehnički podaci

Neto širina (mm)	345,00
------------------	--------

Tehnički podaci - nastavak

Neto visina (mm)	40,00
Neto dubina (mm)	91,00
Neto masa (kg)	0,50
Min. temperatura okoline (°C)	-20
Maks. temperatura okoline (°C)	50
Materijal	Plastika
Boja	RAL 7035 (svijetlo siva)
Visina (mm)	40
Dubina (mm)	91
IP stupanj zaštite	IP20
Klasa zaštite	I
Širina (mm)	345
Nazivni napon	230V-AC
Tip	Svjetiljke za ormare
Nazivna struja (A)	16
Tip priključka	Vijčana stezaljka
Način pričvršćenja	Magnetski
Moment pritezanja (Nm)	0,8
Način ugradnje	Vertikalno / Horizontalno
Radna temperatura (°C)	-20 to +50
Raspon temperature - Transport/skladištenje (°C)	-45 to +70
Vlažnost zraka (%)	max. 90
Izvor svjetla	Energy saver bulb, socket 2G7
Vlastita potrošnja	11W
Svjetlosni tok (lm)	900
Životni vijek	10.000h

Dimension drawing



OPIS

KAT. BROJ

Svjetiljka za ormar, 11W, 230V AC, magnetsko učvršćenje
sa šuko utičnicom, ON/OFF sklopka, štedna žarulja (grlo 2G7), 900lm, 10.000h

IU008530