

Tehnički list za artikl: LI143451--

PURIA SPOT, bijele b., GU10, max. 50W, uklj. 1-f adapter



Info o proizvodu

Dreh- und schwenkbar Hochvoltstrahler PURIA mit passendem Adapter für das 1Phasen Hochvolt-Schienen-System. Die aus Aluminium und satiniertem Kunststoff gefertigte Leuchte ist durch den verbauten GU10 Sockel für Halogen- sowie LED-Leuchtmittel geeignet.

Tehnički podaci

Dimabilno	Ovisno o izvoru svjetla Da
Klasa zaštite	II
Vrsta svjetiljke	power trail luminaire
Izvor svjetla	Visokonaponska halogena žarulja sa odsijačem LED Retrofit
Izvor svj. uklj.	Ne
Broj svjetiljki	1
Grlo	GU10
Mogućnost zakretanja (°)	85
Snaga (W)	50
Radni napon AC (V)	230
Način montaže	Šinska

Tehnički podaci - nastavak

Boja	bijela
Materijal	Plastika Aluminij
Duljina (mm)	125
Širina (mm)	64
Visina (mm)	109
Promjer (mm)	64
Dodatni pribor	LI1005076-;LI1005079-;LI1005082-;LI1005273-
(DxŠxV) mm	125x64x109
ØxV mm	64x109

Tablica artikla

OPIS	KAT. BROJ
PURIA SPOT, bijele b., GU10, max. 50W, uklj. 1-f adapter	LI143451
Dodatni pribor	
LED QPAR51 GU10 2700K bijele boje Dimmable with leading-edge phase dimmer	LI1005076
LED QPAR51 GU10 3000K bijele boje Dimmable with leading-edge phase dimmer	LI1005079
LED QPAR51 GU10 4000K bijele boje Dimmable with leading-edge phase dimmer	LI1005082
QPAR51 GU10, LED 6W 2200 2700K CRI90 36° Dim to warm function, Non-directional LED high voltage lamp	LI1005273