

Tehnički list za artikl: LI28004433

LC 200W 24VDC one4all NF SC EXC2 NFC/ DALI-2/switchDIM

one4all (DALI DT 6, DSI, switchDIM, corridorFUNCTION)




Tehnički podaci

Životni vijek	100.000h
Dimabilno	DALI Dimanje na pritisak Da
Klasa zaštite	II
IP stupanj zaštite	IP20
Snaga (W)	200
Pogonski uređaj	Napajanje
Radni napon AC (V)	220-240
Ulazni napon AC (V)	198-264
Ulazni napon DC (V)	176-280
Izlazni napon DC (V)	24
Frekvencija (Hz)	50/60
Boja	bijela
Materijal	Plastika
Duljina (mm)	325
Širina (mm)	43

Tehnički podaci - nastavak

Visina (mm)	30
Dodatni pribor	EHDALIDIM-
(DxŠxV) mm	325x43x30

Mjerne skice: LC 200W 24VDC one4all NF SC EXC2 NFC/DALI-2/switchDIM



Tablica artikla

OPIS	KAT. BROJ
LC 200W 24VDC one4all NF SC EXC2 NFC/DALI-2/switchDIM one4all (DALI DT 6, DSI, switchDIM, corridorFUNCTION)	LI28004433
Dodatni pribor	
DALI dimer za ugradnju u uzidnu kutiju 230V AC, 50/60Hz Za upravljanje tipkalom	EHDALIDIM