

Tehnički list za artikl: LID10630--

# Robin-II-Q/A1 75W GU10 AR111, 100-240V, IP20, sive boje

12 WALL &amp; CEILING



## Info o proizvodu

75w R111 GU10 Die Cast Adjustable Ceiling Light, IP20. \_x000D\_ \_x000D\_ Complies with standard EN60598-1 and any other specific standards.

## Tehnički podaci

|                     |                                        |
|---------------------|----------------------------------------|
| Neto duljina (mm)   | 120,00                                 |
| Neto širina (mm)    | 120,00                                 |
| Neto visina (mm)    | 130,00                                 |
| Neto promjer (mm)   | 120,00                                 |
| Neto masa (kg)      | 0,09                                   |
| Vrsta svjetiljke    | Stropne svjetiljke<br>Zidna svjetiljka |
| Način montaže       | Stropna nadgradna                      |
| Boja                | siva                                   |
| Materijal           | Aluminij tlačni lijev                  |
| Radni napon AC (V)  | 100-240                                |
| Ulazni napon AC (V) | 100-240                                |

## Tehnički podaci - nastavak

|                    |                                                                 |
|--------------------|-----------------------------------------------------------------|
| Izvor svjetla      | LED Retrofit<br>MR16                                            |
| Grlo               | GU10                                                            |
| Snaga (W)          | 75                                                              |
| Broj svjetiljki    | 1                                                               |
| Dimabilno          | Da                                                              |
| Klasa zaštite      | I                                                               |
| IP stupanj zaštite | IP20                                                            |
| Izvor svj. uklj.   | Ne                                                              |
| ØxV mm             | 120x130                                                         |
| (DxŠxV) mm         | 120x120x130                                                     |
| Duljina (mm)       | 120                                                             |
| Visina (mm)        | 130                                                             |
| Dodatni pribor     | LID 12191--; LID 12192--; LID 13750--; LID 16949--; LID 13106-- |

## Tablica artikla

| OPIS                                                                                                                                                   | KAT. BROJ |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Robin-II-Q/A1 75W GU10 AR111, 100-240V, IP20, sive boje<br>12 WALL & CEILING                                                                           | LID10630  |
| <b>Dodatni pribor</b>                                                                                                                                  |           |
| 7315G/C/45, LED R111 GU10 13w CW 45 ° 230V<br>25 LAMPS                                                                                                 | LID12191  |
| 7315G/W/45, LED R111 GU10 13w WW 45 ° 230v<br>25 LAMPS                                                                                                 | LID12192  |
| 7315GD/W/45, LED R111 GU10 15w WW 45 ° dimabilna 230V<br>25 LAMPS                                                                                      | LID13750  |
| Konektor 32A 2x3-port<br>26 ACCES&GADGETS                                                                                                              | LID16949  |
| Panik modul za GU10 LED 3-8,5W 3h<br>This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS | LID13106  |