


Tehnički list za artikl: LID11631--

Zidna svjetiljka Cube-WL1, GU10 QPAR 16

2x35W IP54 siva **ECONOMY**

Outdoor wall luminaire




Tehnički podaci

Dimabilno	Ovisno o izvoru svjetla Da
Klasa zaštite	I
IP stupanj zaštite	IP54
Vrsta svjetiljke	Zidna nadgradna svjetiljka
Izvor svjetla	LED Retrofit MR16
Izvor svj. uklj.	Ne
Broj svjetiljki	2
Grlo	GU10
Snaga (W)	20
Radni napon AC (V)	100-240
Frekvencija (Hz)	50/60
Način montaže	Stropna

Tehnički podaci - nastavak

Boja	siva
Materijal	Aluminij tlačni lijev
Pokrov	Bistri
Duljina (mm)	63
Širina (mm)	63
Visina (mm)	154
Dodatni pribor	LID 17278--; LID 17279--; LID 17203--; LID 13226--; LID 14508--; LID 15671--; LID 16949--; LID 16223--; LID 13106--
Potrebni pribor	LID 13226--; LID 14937--
(DxŠxV) mm	63x63x154

Mjerne skice: Zidna svjetiljka Cube-WL1, GU10 QPAR 16 2x35W IP54 siva



Tablica artikla

OPIS	KAT. BROJ
Zidna svjetiljka Cube-WL1, GU10 QPAR 16 2x35W IP54 siva	LID 11631
Outdoor wall luminaire	
Potrebni pribor	
COB LED GU10, 6W, 3000K, 500lm, 60°, 230V	LID 13226
25 LAMPS	
GU10 LED žarulja 6W 230V 520lm 4000K 60°	LID 14937
25 LAMPS	
Dodatni pribor	
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38°	LID 17278
Suitable for high ambient temperature enclosed fittings; 25 LAMPS	
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38° dimabilna	LID 17279
Suitable for high ambient temperature enclosed luminaires; 25 LAMPS	

Tablica artikla

OPIS	KAT. BROJ
Dodatni pribor	
LED 4W 300lm 3000K GU10 60° CRI90 TRIAC dimabilna 230V EM 3h	LID17203
COB LED GU10, 6W, 3000K, 500lm, 60°, 230V 25 LAMPS	LID13226
LED žarulja MR16, 6W, GU10, 3000K, 500lm, 230V, 60°, dimabilna dimabilna	LID14508
LED GU10 MR16 6W 500lm 3000K 60° 230V crne boje Reflector lamp; 25 LAMPS	LID15671
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949
EM driver 3H MR16 LED modul 3W 3 230V IP20 0	LID16223
Panik modul za GU10 LED 3-8,5W 3h This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS	LID13106