


Tehnički list za artikl: LID12019--

Podna svj. TERRA GU10 35W IP67 podesiva, nehrđajući čelik **€CONOMY**

Floor mounted spotlights, stainless steel, IP67; 20 GARDEN&UNDERWATER



Info o proizvodu

35W Stainless steel garden spot, MR16, GU10, IP65, supplied with spike, for garden illumination. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP65
Vrsta svjetiljke	Reflektori
Izvor svjetla	LED Retrofit MR16
Izvor svj. uklj.	Ne
Broj svjetiljki	1
Grlo	GU10
Snaga (W)	35

Tehnički podaci - nastavak

Radni napon AC (V)	100-240
Ulazni napon AC (V)	100-240
Frekvencija (Hz)	50/60
Način montaže	Podna Stropna Stropna nadgradna
Boja	inox
Materijal	INOX
Duljina (mm)	82
Širina (mm)	82
Visina (mm)	130
Dodatni pribor	LID 17278--; LID 17279--; LID 17203--; LID 13226--; LID 14508--; LID 15671--; LID 16949--; LID 16098--; LID 13213--;
Potrebni pribor	LID 13226--; LID 14937--
(DxŠxV) mm	82x82x130

Mjerne skice: Podna svj. TERRA GU10 35W IP67 podesiva, nehrđajući čelik



OPIS	KAT. BROJ
Podna svj. TERRA GU10 35W IP67 podesiva, nehrđajući čelik	LID12019
Floor mounted spotlights, stainless steel, IP67; 20 GARDEN&UNDERWATER	

Potrebni pribor

Tablica artikla

OPIS	KAT. BROJ
Potrebni pribor	
COB LED GU10, 6W, 3000K, 500lm, 60°, 230V 25 LAMPS	LID13226
GU10 LED žarulja 6W 230V 520lm 4000K 60° 25 LAMPS	LID14937
Dodatni pribor	
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38° Suitable for high ambient temperature enclosed fittings; 25 LAMPS	LID17278
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38° dimabilna Suitable for high ambient temperature enclosed luminaires; 25 LAMPS	LID17279
LED 4W 300lm 3000K GU10 60° CRI90 TRIAC dimabilna 230V EM 3h	LID17203
COB LED GU10, 6W, 3000K, 500lm, 60°, 230V 25 LAMPS	LID13226
LED žarulja MR16, 6W, GU10, 3000K, 500lm, 230V, 60°, dimabilna dimabilna	LID14508
LED GU10 MR16 6W 500lm 3000K 60° 230V crne boje Reflector lamp; 25 LAMPS	LID15671
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949
Spojna kutija 1 ulaz/1 izlaz 16A 450V 0,5-1,5mm IP67 Mounting accessory; 26 ACCES&GADGETS	LID16098
0800A, Distribucijski blok IP67 IN / 2 OUT 26 ACCES&GADGETS	LID13213