

Tehnički list za artikl: LID13613--

Marra LED traka 19,2W/m 3000K 1250lm/m, dimabilna, IP20

LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES



Info o proizvodu

Flexible LED light strip, with SMD2216 LEDs, 240LEDs/meter, 19,2W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 5cm (12-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥90
Dimabilno	Ovisno o driveru Da
Klasa zaštite	III
IP stupanj zaštite	IP20
KEU	F
Energetska klasa	F
Vrsta svjetiljke	LED Strip
Izvor svj. uklj.	Da
Grlo	LED Platine

Tehnički podaci - nastavak

Kut svjetlosti (°)	120
Efikasnost sustava (lm/W)	88
Pogonski uređaj	Needs to be ordered separately
Radni napon DC (V)	24
Ulazni napon DC (V)	24
Način montaže	Podna Stropna Stropna nadgradna
Materijal	Plastika
Duljina (mm)	5000
Širina (mm)	16
Dodatni pribor	LID 13864--; LID 13867--; LID 13862--; LID 13865--; LID 13863--;
Svjetlosni tok/m (lm/m)	1700

Tablica artikla

OPIS	KAT. BROJ
Marra LED traka 19,2W/m 3000K 1250lm/m, dimabilna, IP20 LED Flexstrip, dimmable, 5 Meter Roll; 08 STRIPS & PROFILES	LID13613
Dodatni pribor	
Aluminijski profil 7912/AL, 2m + PC opalni pokrov Suitable for LED Strips 7825, 7875, 7880; 08 STRIPS & PROFILES	LID13864
Aluminijski profil 7910/AL, 2m + PC opalni pokrov Suitable for LED Strips 7820, 7821, 7830, 7831, 7870; 08 STRIPS & PROFILES	LID13867
Aluminijski trokutasti profil 7908/AL, 2m + PC opalni pokrov Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W; 08 STRIPS & PROFILES	LID13862
Aluminijski ugradni profil 7912R/AL, 2m + PC opalni pokrov Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W; 08 STRIPS & PROFILES	LID13865
Aluminijski ugradni profil 7910R/AL, 2m + PC opalni pokrov Suitable for LED Strips 7825, 7875, 7880; 08 STRIPS & PROFILES	LID13863