

Tehnički list za artikl: LID13904--

Berry LED 24W, 3000K, 1440lm, 230V, IP65, plastika, antracit **ECONOMY**

LED wall, ceiling lamp; 14 PLAFO



Info o proizvodu

24W LED plafo light, IP65, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnički podaci

Svjetlosni tok (lm)	1440
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	II
IP stupanj zaštite	IP65
Otpornost na udarce	IK08
Vrsta svjetiljke	LED Plafo
Izvor svj. uklj.	Da

Tehnički podaci - nastavak

Broj svjetiljki	1
Grlo	LED Platine
Efikasnost sustava (lm/W)	60
Faktor snage	0,9
Snaga (W)	24
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	600
Ulazna struja (A)	0,60
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	antracit
Materijal	PC Plastika
Pokrov	PC opal
Visina (mm)	78
Promjer (mm)	300
Dodatni pribor	LID16949--
ØxV mm	300x83

Mjerne skice: Berry LED 24W, 3000K, 1440lm, 230V, IP65, plastika, antracit



Tablica artikla

OPIS	KAT. BROJ
Berry LED 24W, 3000K, 1440lm, 230V, IP65, plastika, antracit LED wall, ceiling lamp; 14 PLAFO	LID13904
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949