

Tehnički list za artikl: LID14253--

Harry SMD LED 25W, 3000K, 2125lm, 230V 120° IP20, bijele boje

Ceiling luminaire; 14 PLAFO



Info o proizvodu

25W LED slim plafo light, IP20, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Svjetlosni tok (lm)	2125
Boja svjetla	Toplo bijela
Temperatura boje (K)	3000
Faktor uzvrata boje	≥80
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne nadgradne svjetiljke
Izvor svj. uklj.	Da
Grlo	LED Platine
Kut svjetlosti (°)	120
Efikasnost sustava (lm/W)	85
Faktor snage	0,9

Tehnički podaci - nastavak

Snaga (W)	25
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Pogonska struja mA (mA)	700
Ulazna struja (A)	0,70
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	bijela
Materijal	Metall
Visina (mm)	106
Promjer (mm)	400
Dodatni pribor	LID16949--
ØxV mm	400x106

Mjerne skice: Harry SMD LED 25W, 3000K, 2125lm, 230V 120° IP20, bijele boje



Tablica artikla

OPIS	KAT. BROJ
Harry SMD LED 25W, 3000K, 2125lm, 230V 120° IP20, bijele boje Ceiling luminaire; 14 PLAFO	LID14253
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949