


Tehnički list za artikl: LID14579--

# Plano Long LED 40W, 3000K, 2700lm, 100-240V, IP40, bijele b. **ECONOMY**

LED ceiling luminarie; 14 PLAFO



## Info o proizvodu

40W LED slim plafo light, IP40, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.




## Tehnički podaci

|                      |                              |
|----------------------|------------------------------|
| Svjetlosni tok (lm)  | 2700                         |
| Boja svjetla         | Toplo bijela                 |
| Temperatura boje (K) | 3000                         |
| Faktor uzvrata boje  | ≥80                          |
| Dimabilno            | Ne                           |
| Klasa zaštite        | II                           |
| IP stupanj zaštite   | IP20                         |
| Vrsta svjetiljke     | Stropne nadgradne svjetiljke |
| Izvor svj. uklj.     | Da                           |
| Grlo                 | LED Platine                  |

## Tehnički podaci - nastavak

|                           |                       |
|---------------------------|-----------------------|
| Efikasnost sustava (lm/W) | 67                    |
| Faktor snage              | 0,9                   |
| Snaga (W)                 | 40                    |
| Pogonski uređaj           | LED Driver            |
| Radni napon AC (V)        | 220-240               |
| Ulazni napon AC (V)       | 220-240               |
| Pogonska struja mA (mA)   | 1000                  |
| Ulazna struja (A)         | 1                     |
| Frekvencija (Hz)          | 50/60                 |
| Način montaže             | Stropna nadgradna     |
| Boja                      | bijela                |
| Materijal                 | Aluminij tlačni lijev |
| Duljina (mm)              | 1200                  |
| Širina (mm)               | 145                   |
| Visina (mm)               | 50                    |
| Dodatni pribor            | LID 16949--           |
| (DxŠxV) mm                | 1200x145x50           |

## Mjerne skice: Plano Long LED 40W, 3000K, 2700lm, 100-240V, IP40, bijele b.



## Tablica artikla

| OPIS                                                                                            | KAT. BROJ |
|-------------------------------------------------------------------------------------------------|-----------|
| Plano Long LED 40W, 3000K, 2700lm, 100-240V, IP40, bijele b.<br>LED ceiling luminarie; 14 PLAFO | LID14579  |
| <b>Dodatni pribor</b>                                                                           |           |
| Konektor 32A 2x3-port<br>26 ACCES&GADGETS                                                       | LID16949  |