

Tehnički list za artikl: LID16083--

Tubos MAL GU10 10W 220-240V IP20 metal sive boje

Surface-mounted downlight



Tehnički podaci

Dimabilno	Ovisno o izvoru svjetla Da
Klasa zaštite	I
IP stupanj zaštite	IP20
Vrsta svjetiljke	Stropne svjetiljke
Izvor svjetla	LED Retrofit MR16
Izvor svj. uklj.	Ne
Broj svjetiljki	1
Grlo	GU10
Snaga (W)	10
Radni napon AC (V)	100-240
Pogonska struja mA (mA)	
Frekvencija (Hz)	50/60
Način montaže	Stropna nadgradna
Boja	metalno siva
Materijal	Aluminij

Tehnički podaci - nastavak

Visina (mm)	250
Promjer (mm)	75
Dodatni pribor	LID17278--; LID17279--; LID17203--; LID13226--; LID14508--; LID15671--; LID16949--; LID16223--; LID13106--
Potrebni pribor	LID15076--; LID15077--; LID15078--; LID15080--; LID15079--; LID15081--; LID15938--; LID15912--
ØxV mm	75x250

Tablica artikla

OPIS	KAT. BROJ
Tubos MAL GU10 10W 220-240V IP20 metal sive boje Surfece-mounted downlight	LID16083
Potrebni pribor	
Prsten za svjetiljke serije Tubos, crne boje	LID15076
Prsten za svjetiljke serije Tubos, mesing	LID15077
Prsten za svjetiljke serije Tubos, sive boje	LID15078
Prsten za svjetiljke serije Tubos, bakrene boje	LID15080
Prsten za svjetiljke serije Tubos, bijele boje	LID15079
Prsten za svjetiljke serije Tubos, zlatne boje	LID15081
Prsten za seriju Tubos, mesing Accessories	LID15938
Prsten za seriju Tubos, tamni krom Accessories	LID15912
Dodatni pribor	
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38° Suitable for high ambient temperature enclosed fittings	LID17278
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38° dimabilna Suitable for high ambient temperature enclosed luminaires	LID17279
LED 4W 300lm 3000K GU10 60° CRI90 TRIAC dimabilna 230V EM 3h	LID17203
COB LED GU10, 6W, 3000K, 500lm, 60°, 230V	LID13226
LED žarulja MR16, 6W, GU10, 3000K, 500lm, 230V, 60°, dimabilna dimabilna	LID14508
LED GU10 MR16 6W 500lm 3000K 60° 230V crne boje Reflector lamp	LID15671
Konektor 32A 2x3-port	LID16949
EM driver 3H MR16 LED modul 3W 3 230V IP20 0	LID16223
Panik modul za GU10 LED 3-8,5W 3h This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency)	LID13106