

Tehnički list za artikl: LID16851--

Marra LED dvostruka traka 33W/m 4000K 4700lm/m 24V IP20

08 STRIPS & PROFILES



Info o proizvodu

Flexible LED light strip, with SMD2835 320 LEDs/m, 33W/m. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 2,5cm (8-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Tehnički podaci

Boja svjetla	Neutralno bijela
Temperatura boje (K)	4000
Faktor uzvrata boje	≥90
Dimabilno	Ovisno o driveru Da
Klasa zaštite	III
IP stupanj zaštite	IP20
KEU	D
Energetska klasa	D
Vrsta svjetiljke	LED Strip
Izvor svj. uklj.	Da
Grlo	LED Platine

Tehnički podaci - nastavak

Kut detekcije (°)	
Efikasnost sustava (lm/W)	142
Pogonski uređaj	Needs to be ordered separately
Radni napon DC (V)	24
Ulazni napon DC (V)	24
Način montaže	Podna Stropna Stropna nadgradna
Širina (mm)	30
Dodatni pribor	LID16949--
Svjetlosni tok/m (lm/m)	4700

Tablica artikla

OPIS	KAT. BROJ
Marra LED dvostruka traka 33W/m 4000K 4700lm/m 24V IP20 08 STRIPS & PROFILES	LID16851
Dodatni pribor	
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949