


Tehnički list za artikl: LID17196--

Finno DL 2x10W GU10 MR16 IP20 100-240V mesing

12 WALL & CEILING



Info o proizvodu

2x10W MR16 GU10 Dark Light Adjustable Ceiling Light. Complete with black and brass reflectors. Complies with standard EN60598-1 and any other specific standards.


Tehnički podaci

Neto visina (mm)	95,00
Neto promjer (mm)	58,00
Vrsta svjetiljke	Zidna nadgradna svjetiljka Stropne nadgradne svjetiljke
Način montaže	Stropna Stropna nadgradna
Boja	boja šampanjca
Materijal	Aluminij
Radni napon AC (V)	100-240
Ulazni napon AC (V)	100-240
Izvor svjetla	LED Retrofit MR16
Grlo	GU10

Tehnički podaci - nastavak

Snaga (W)	20
Broj svjetiljki	2
Klasa zaštite	I
IP stupanj zaštite	IP20
Izvor svj. uklj.	Ne
Promjer (mm)	58
ØxV mm	58x95
Frekvencija (Hz)	50/60
Visina (mm)	95
Dodatni pribor	LID 17278--; LID 17279--; LID 17203--; LID 13226--; LID 14508--; LID 15671--; LID 16949--; LID 16223--; LID 13106--

Mjerne skice: Finno DL 2x10W GU10 MR16 IP20 100-240V mesing



Tablica artikla

OPIS	KAT. BROJ
Finno DL 2x10W GU10 MR16 IP20 100-240V mesing 12 WALL & CEILING	LID17196
Dodatni pribor	
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38° Suitable for high ambient temperature enclosed fittings; 25 LAMPS	LID17278
LED 5W GU10 500lm 3000K CRI80 IP44 230V 38° dimabilna Suitable for high ambient temperature enclosed luminaires; 25 LAMPS	LID17279

Tablica artikla

OPIS	KAT. BROJ
Dodatni pribor	
LED 4W 300lm 3000K GU10 60° CRI90 TRIAC dimabilna 230V EM 3h	LID17203
COB LED GU10, 6W, 3000K, 500lm, 60°, 230V 25 LAMPS	LID13226
LED žarulja MR16, 6W, GU10, 3000K, 500lm, 230V, 60°, dimabilna dimabilna	LID14508
LED GU10 MR16 6W 500lm 3000K 60° 230V crne boje Reflector lamp; 25 LAMPS	LID15671
Konektor 32A 2x3-port 26 ACCES&GADGETS	LID16949
EM driver 3H MR16 LED modul 3W 3 230V IP20 0	LID16223
Panik modul za GU10 LED 3-8,5W 3h This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS	LID13106