


Tehnički list za artikl: LID17930--

CRNA 30W CCTV IP65 AC 230V

21 INDUSTRIAL & FLDS



Info o proizvodu

30W DOB LED CCT Variable floodlight with adjustable mounting bracket. IP65 rated for outdoor use. Complies with standard EN60598-1 and any other specific standards.


Tehnički podaci


Neto duljina (mm)	168,00
Neto širina (mm)	157,00
Boja	crna
Materijal	Aluminij Staklo
Pokrov	Glas opal
Kut svjetlosti (°)	110
Pogonski uređaj	LED Driver
Radni napon AC (V)	220-240
Ulazni napon AC (V)	220-240
Grlo	LED Platine
Efikasnost sustava (lm/W)	100
Snaga (W)	30

Tehnički podaci - nastavak

Boja svjetla	Hladno bijela Neutralno bijela Toplo bijela
Temperatura boje (K)	4000 6500 3000
Faktor uzvrata boje	≥80
Svjetlosni tok (lm)	3000
Životni vijek	36.000h / L70 / B50
Dimabilno	Ne
Klasa zaštite	I
IP stupanj zaštite	IP65
Otpornost na udarce	IK06

Mjerne skice: CRNA 30W CCTV IP65 AC 230V



Mjerne skice: CRNA 30W CCTV IP65 AC 230V**OPIS**

CRNA 30W CCTV IP65 AC 230V
21 INDUSTRIAL & FLDS

KAT. BROJ

LID17930