


Tehnički list za artikl: LIUS0048--

SOLO II 25W-50W 3750lm-7500lm 830/840/857 230V L-1500mm bij.

LED linearna svjetiljka



Krivulja raspodjele svjetla




Tehnički podaci

Neto duljina (mm)	1.500,00
Neto širina (mm)	64,00
Neto visina (mm)	65,00
Neto masa (kg)	1,20
Min. temperatura okoline (°C)	-20
Maks. temperatura okoline (°C)	40
Vrsta svjetiljke	Accessory

Tehnički podaci - nastavak

Način montaže	Stropna Stropna nadgradna
Temperatura boje (K)	4000 3000 5700
Faktor uzvrata boje	80
Dimabilno	Ne
(DxŠxV) mm	1500x64x65
Broj svjetiljki po osiguraču B10	9
Broj svjetiljki po osiguraču B16	15
Broj svjetiljki po osiguraču C10	16
Broj svjetiljki po osiguraču C16	25

Mjerne skice: SOLO II 25W-50W 3750lm-7500lm 830/840/857 230V L-1500mm bij.



OPIS

KAT. BROJ

SOLO II 25W-50W 3750lm-7500lm 830/840/857 230V L-1500mm bij.
LED linearna svjetiljka

LIUS0048