

Tehnički list za artikl: LIVT4872--

# 24W LED Premium Panel Downlight - okrugli

## 3000K, 2000lm, 120° **ECONOMY**

including driver, quick connector




### Tehnički podaci

|                     |                        |
|---------------------|------------------------|
| (DxŠxV) mm          | 300x300x25             |
| ØxV mm              | 300x25                 |
| OTVOR mm            | Ø 285                  |
| Boja                | bijela                 |
| Materijal           | PS<br>PMMA<br>Aluminij |
| Način montaže       | Stropna ugradna        |
| Otvor (mm)          | Ø 285                  |
| Snaga (W)           | 24                     |
| Radni napon AC (V)  | 200-240                |
| Boja svjetla        | Toplo bijela           |
| Svjetlosni tok (lm) | 2400                   |
| Faktor snage        | >0.9                   |

## Tehnički podaci - nastavak

|                                |             |
|--------------------------------|-------------|
| Faktor uzvrata boje            | ≥80         |
| Dimabilno                      | Ne          |
| Temperatura boje (K)           | 3000        |
| Životni vijek                  | 20.000h     |
| Kut svjetlosti (°)             | 120         |
| IP stupanj zaštite             | IP20        |
| Klasa zaštite                  | II          |
| Min. temperatura okoline (°C)  | -20         |
| Maks. temperatura okoline (°C) | 45          |
| Vrsta svjetiljke               | LED Panel   |
| Izvor svjetla                  | SMD LED     |
| Grlo                           | LED Platine |
| Efikasnost sustava (lm/W)      | 100         |
| Snaga (W)                      | 24          |
| Frekvencija (Hz)               | 60          |
| Duljina (mm)                   | 300         |
| Širina (mm)                    | 300         |
| Visina (mm)                    | 25          |
| Promjer (mm)                   | 300         |

## Mjerne skice: 24W LED Premium Panel Downlight - okrugli 3000K, 2000lm, 120°



24W LED Premium Panel Downlight - okrugli 3000K, 2000lm, 120°  
including driver, quick connector

LIVT4872