


Tehnički list za artikl: WSAIE4030R

# Instalacijski umetak 2x11 modula za WSA 400x300mm (VxŠ)

za ugradnju u ormar: WSA4030210



## SCHRACK-Info

- For installation of modular devices on DIN-rails
- The distance between the DIN-rails (centre-centre) is 140mm
- The usable depth between the front cover of the WSAIE modular chassis and the WSA enclosure door is 82.5mm
- Material thickness: 1.2mm
- Degree of protection: IP3XD according to IEC 60529
- Color: RAL 7035 (Light grey)
- Supply includes:
  - 1 Piece of front door with 45mm cutouts
  - 2 Pieces of vertical profiles
  - 2 Pieces of closures (top/bottom)
  - DIN-rails
  - Mounting material


## Tehnički podaci

|                  |        |
|------------------|--------|
| Neto širina (mm) | 300,00 |
| Neto visina (mm) | 400,00 |
| Neto dubina (mm) | 61,00  |

## Tehnički podaci - nastavak

|                |                          |
|----------------|--------------------------|
| Neto masa (kg) | 2,60                     |
| Boja           | RAL 7035 (svijetlo siva) |

## Mjerne skice: Instalacijski umetak 2x11 modula za WSA 400x300mm (VxŠ)



## Tablica artikla

| OPIS                                                                                       | KAT. BROJ  |
|--------------------------------------------------------------------------------------------|------------|
| Instalacijski umetak 2x11 modula za WSA 400x300mm (VxŠ)<br>za ugradnju u ormar: WSA4030210 | WSAIE4030R |
| <b>Dodatni pribor</b>                                                                      |            |
| Plastični zasun (90° zakretanje) za WSAIExxxxR                                             | WSAIE00BL  |